


FIG. 2






FIG. 4A




FIG. 4B




FIG. 5A

FM 4.0 Policy Builder Prototype

File Help

Paths Policies Templates

▼ Data Path ~501

Data Path

Path Condition

No Conditions

Sub-Paths

☒ Basic Match ☐ Complex Match ☐ Use Regular Expressions

Test Attributes 503

No Attributes Selected 504

Policies

509

508


Add Remove Remove All

506

Basic Policies Threshold Policies Escalation Policies Confirmation Policies

Update Data Paths 507

51




A dialog box titled "Test Attributes" with a close button (X) in the top right corner. It contains a table with two columns: "#", "Attribute Value To Test". The table has 10 rows. The first row has "# 2" and "AlarmName". The second row has "# 1" and "AMOName". The remaining 8 rows have empty "#" columns and attribute names: "Manager", "ManagerClass", "Domain", "Location", "EquipType", "EquipID", and "Severity". At the bottom of the dialog are "OK" and "Cancel" buttons.

#	Attribute Value To Test
2	AlarmName
1	AMOName
	Manager
	ManagerClass
	Domain
	Location
	EquipType
	EquipID
	Severity

FIG. 5B

50



A dialog box titled "Sub-Paths" with a close button (X) in the top right corner. It contains a section with two radio buttons: "Basic Match" (selected) and "Complex Match". To the right of these is a button labeled "Test Attributes" and a checkbox labeled "Use Regular Expressions". Below this section is a table with three columns: "Path Name", "AMOName", and "Alarm Name". The table has 4 rows of data. The first row is "A1 for M01", "A1", "M01". The second row is "A2 for M01", "A2", "M01". The third row is "A1 for M02", "A1", "M02". The fourth row is "A2 for M02", "A2", "M02". There are empty rows below. To the left of the table, a bracket labeled "510" spans the first two rows, and a bracket labeled "505" spans the last two rows. Above the table, a bracket labeled "504" spans the "AMOName" and "Alarm Name" columns. At the bottom of the dialog are "OK" and "Cancel" buttons.

Sub-Paths

☒ Basic Match ☐ Complex Match ☐ Use Regular Expressions

504

Path Name	AMOName	Alarm Name
A1 for M01	A1	M01
A2 for M01	A2	M01
A1 for M02	A1	M02
A2 for M02	A2	M02

FIG. 5C

FIG. 5D






FIG. 5E

FIG. 5F



515

EM 4.0 Policy Builder Prototype

File Help

Policies (templates)

Data Path

- A1 for M01 511
- A2 for M01
- A1 for M02 513
- A2 for M02

Regular Threshold

Threshold Severity Indeterminate

MO Name SMF232

Threshold Alert Th A 1003

Count (0 for N/A) 0

Interval 0

Warning 2

Clear 0

Minor 4

Major 6

Critical 8

Days 0

Hours 0

Minutes 10

User Information

User Notes

FIG. 6A





FIG. 6B






FIG. 6C




FIG. 6D




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 7D




FIG. 7E




FIG. 7F

FIG. 7G





FIG. 7H

718






FIG. 7I




FIG. 7J




FIG. 7K




FIG. 7N